



THIS DRAWING IS A CONTROLLED DOCUMENT  
REV: 009061



**Left Side**  
 Connector(s): LC-Duplex Secure  
 Mode: MM  
 Housing Color: Orange  
 Geom. Spec: N/A



**Right Side**  
 Connector(s): ST  
 Mode: MM  
 Housing Color: N/A  
 Geom. Spec: N/A

- Notes:**
- 1 Product and Processing must meet requirements of Tyco Electronics Standard 230-702
  - 2 Includes dust caps (not shown on print).
  - 3 IL tested at 1300nm.
  - 4 Label 2 will not be present on any cable assembly less than 5 meters long.

THIS INFORMATION IS CONFIDENTIAL AND PROPRIETARY TO TYCO ELECTRONICS. IT MAY NOT BE DISCLOSED TO ANYONE OTHER THAN TYCO ELECTRONICS PERSONNEL, WITHOUT WRITTEN AUTHORIZATION FROM TYCO ELECTRONICS CORPORATION, HARRISBURG, PENNSYLVANIA

LOC
CE
DIST
16

A	Rev Per EC#	RELEASE	2/22/2007	-	JD				
P	LTR	REVISION RECORD	DATE	DN	APVD				

DIMENSIONS:	TOLERANCES UNLESS OTHERWISE SPECIFIED:
meters	0 PLC ± .
	1 PLC ± .
	2 PLC ± .
	3 PLC ± .
	4 PLC ± .

Restricted To:

DIN	Cable Assy Configurator	MATERIAL		HEAT TREAT	
CHK	Jeremy Duncan				
APVD	Jeremy Duncan	<b>AMP</b> Tyco Electronics, Inc. Harrisburg, PA 17105-3608			
NAME	FO C/A - 2 fiber, 50/125, OFNR (Riser) jacket, LC-Duplex Secure to ST				
SCALE	NTS	SIZE	A2	DRAWING NO	C- 1906006
SHEET	1 of 4	REV	A		





USED ON

**Label 1**

Per specification 107-1645-1




Trace # - Bar Code  
Trace # - Human Readable  
Part Number  
Country of Origin

This label is used on all lengths on this drawing.

**Label 2**

Per specification 107-1645-1



Trace # - Bar Code  
Trace # - Human Readable  
Part Number  
Country of Origin

This label is used on all lengths on this drawing.

THIS DRAWING IS A CONTROLLED DOCUMENT.

THIS INFORMATION IS CONFIDENTIAL AND PROPRIETARY TO TYCO ELECTRONICS CORPORATION. IT IS NOT TO BE DISCLOSED TO ANY OTHER PERSONS OR ORGANIZATIONS WITHOUT WRITTEN AUTHORIZATION FROM TYCO ELECTRONICS CORPORATION, HARRISBURG, PENNSYLVANIA.

LOC  
CE  
DIST  
16

P	LTR	Rev	Per	EC#	RELEASE	DATE	DIN	APVD
	A					2/22/2007	-	JD
					REVISION RECORD			

DIMENSIONS: meters	TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ± .	1 PLC ± .
2 PLC ± .	3 PLC ± .
4 PLC ± .	

Restricted To:

DIN	Cable Assy Configurator	MATERIAL	-	HEAT TREAT	-
CHK	Jeremy Duncan				
APVD	Jeremy Duncan				
NAME	FO C/A - 2 fiber, 50/125, OFNR (Riser) jacket, LC-Duplex Secure to ST				
SCALE	NTS	SIZE	A2	DRAWING NO	C- 1906006
SHEET	4 of 4	REV	A		

8 | 7 | 6 | 5 | 4 | 3 | 2 | 1